

300x600
mm

RAY+ PARKING & ELEVATION

Tiles Collection

Wall Tiles

Floor Tiles

Vitrified Tiles

Sanitaryware

SEP.
2024

OUR PRODUCTS



AAC BLOCK



**PLYWOOD
BOARD
DOOR
HARDWARE**






CITRON BEIGE





CITRON BEIGE



▼ 12MM Thickness ▲ 32 Randoms

f°, f TM fl -f	} TM μ Á ffl -f
■ f°, c	# pē H c fl th
! fl TM . "° TM fl μ TM	- " f TM fl f i Δ Δ Á
# c : ■ , fi Á & P fl + "	■

TECHNICAL FEATURES

- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








CITRON BROWN





CITRON BROWN




▼ 12MM Thickness ▲ 32 Randoms

f°, f TM fl -f	} TM } μ □ Á M fl -f
■ f°, c	# pē Hk<fl"lh
!fl TM ŷ . "° TM fl μ TM	- "ŷ f TM fl f î Δ Δ Á!
#c° ■ ,fi Å&P"fl †"ŷ	■

TECHNICAL FEATURES


- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








CITRON COTTO





CITRON COTTO




▼ 12MM Thickness 32 Randoms

f°, f _{TM} fl -f	} TM } μ } Δ } fl -f
f°, c	# } H } c } fl } th
! fl TM } . "° TM } μ } TM	- " } f TM fl f i Δ Δ Δ }
# } c } # } , fi } A } & } P } fl } + } }	# }

TECHNICAL FEATURES

- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








CITRON GREY





CITRON GREY




▼ 12MM Thickness ▲ 32 Randoms

f°, f _{TM} fl -f	} TM } μ } Δ } fl -f
f°, c	# pē Hl<fl"th
!fl TM } . "° TM fl μ TM	- " } f TM fl f î Δ Δ Δ
#c° # ,fiÄ&P"fl + " }	#

TECHNICAL FEATURES

- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








CITRON RUSTGREY





CITRON RUSTGREY




▼ 12MM
▲ Thickness

32
Randoms

f°, f TM fl -f ■ f°,c	} TM } μ □ Á ffl -f # pē Hl<fl"lh
!fl TM↑ . "° TM fl μ TM #c: ■ ,fiÄ&Pfl †"†	- "† f TM fl f î Δ Δ Á! ■

TECHNICAL FEATURES


- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








ASPIRE BROWN





ASPIRE BROWN



▼ 12MM Thickness ▲ 32 Randoms

f°, f TM fl -f	} TM μ □ Á M fl -f
■ f°, c	# p c H k c fl " h
! fl TM ↑ . "° TM fl μ TM	- " f TM fl f i Δ Δ Á
# c ■ , fi Á & P fl † " i	■

TECHNICAL FEATURES

- 
 ANTI SLIP SURFACE
- 
 HYGIENIC SURFACE
- 
 FIRE RESISTANCE
- 
 EASY MAINTENANCE
- 
 HIGH DURABILITY
- 
 WATER RESISTANCE








ASPIRE GRECK





ASPIRE GRECK



▼ 12MM Thickness 32 Randoms

f°, f TM fl -f	} TM } μ □ Á f fl -f
■ f°, c	⊥ p c H k c fl " th
! fl TM ↑ . "° TM fl μ TM	- " f TM fl f i Δ Δ Á!
⊥ c ■ , fi Á & P fl ↑ "!	■

TECHNICAL FEATURES

- 
 ANTI SLIP SURFACE
- 
 HYGIENIC SURFACE
- 
 FIRE RESISTANCE
- 
 EASY MAINTENANCE
- 
 HIGH DURABILITY
- 
 WATER RESISTANCE








ASPIRE LAVA





ASPIRE LAVA




▼ 12MM
▲ Thickness

32
Randoms

f°, f TM fl -f	} TM } μ } Á } ffl -f
f°, c	# p c H k c fl " th
! fl TM } . " ° TM fl μ TM	- " } f TM fl f i Δ Δ Á
# c # , fi Á & P fl + " }	#

TECHNICAL FEATURES

- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








ASPIRE NATURAL





ASPIRE NATURAL



▼ 12MM Thickness ▲ 32 Randoms

f°, f TM fl -f	} TM } μ } Á } fl -f
■ f°, c	# p c H k c fl " th
! fl TM ↑ . "° TM fl μ TM	- " f TM fl f i Δ Δ Á
# c ■ , fi Á & P fl † " f	■

TECHNICAL FEATURES

- ANTI SLIP SURFACE
- HYGIENIC SURFACE
- FIRE RESISTANCE
- EASY MAINTENANCE
- HIGH DURABILITY
- WATER RESISTANCE








ASPIRE ORO





ASPIRE ORO



▼ 12MM
▲ Thickness

32
Randoms

f°, f TM fl -f	} TM μ □ Á f fl -f
■ f°, c	# p c H k c fl " th
! fl TM ↑ . "° TM fl μ TM	- " f TM fl f i Δ Δ Á
# c . ■ , fi Á & P fl † " f	■

TECHNICAL FEATURES

- 
 ANTI SLIP SURFACE
- 
 HYGIENIC SURFACE
- 
 FIRE RESISTANCE
- 
 EASY MAINTENANCE
- 
 HIGH DURABILITY
- 
 WATER RESISTANCE

