

~~~~ हर पल आपकी खुशीयो के साथ... हर घर की पसंद... वेलवीन लेमिनेटस ~~~~











Better Quality...Better Life...











#### Welwin Laminates IIp

Near Nava Dhanala Patiya, Halvad-Maliya Highway, Ta.Halvad, Dist. Morbi, Gujarat, India. Customer Care No.+91 95121 88884/3 Email: welwinlaminates2021@gmail.com www.welwinlaminates.com









Laminate For Luxurious Living Inspired

STATIC LOAD SUSTENANCE ANTI FINGER RESISTANT

HEAT RESISTANT

ABRASION RESISTANT

SCRATCH RESISTANT

HIGH-FLEXIBILITY









# "Inspire from nature itself"



The **making** takes a lot of efforts, application is easy, but the exhibition is **fabulous**!



| Ol | Finger Clean    | 02 | Italian Marble    | 03 | Sparkle Stone  |
|----|-----------------|----|-------------------|----|----------------|
| 04 | Stainless Steel | 05 | Cassata Stone     | 06 | Smooth Surface |
| 07 | Moon Stone      | 08 | Flute Plain Color | 09 | Western Zero   |
| 10 | Tuff Gloss      | 11 | Veneer Oak        | 12 | High Glossy    |
| 13 | Zero Matt       | 14 | Kdm               | 15 | Greep Fluted   |
| 16 | Zero Veneer     | 17 | Zero Stone        | 18 | Smooth Finish  |


## Finger Clean





Minimal Is Chic THE ART OF

"encompassing everything from fashionable design to chic textures, we bring on board laminates that achieve the perfect balance of style and functionality."



BERIBBON WOOD

MPORTED BASE PAPER 🔏 100%

PC-9775

BERIBBON WOOD DARK









FT-9763 PR


HG-9763 PR





Pump up your interior with our latest and trendy urban laminates





Simply beautiful living



"marble with its
minimalistic and elegant
hue, has long been
associated with luxury and
sophistication. a lavish
tone that has the power to
transform any space,
imparting a sense of
refinement and grace that
is truly fit for royality."





STC-9777

RBELAN

STC-9768

2-9768

STC-9742



#### Stainless Steel



Imperial Shades


who say light are not acceptable such laminate brings huge changes to your wall with touch of prud















SS-5242 SS-9733 TK-5201

Z

Q

Ш

Ш

 $\cap$ 

0

Z

# Smooth Surface

PRINCESS WALNUT







SD-5255



such laminate directly distracts eyes of the one and it is a laminate one cannot resist to put in home.





RUSTIC DARK


MS-9757

MS-9758

## Smooth Surface



SD-5257



the gloss that signifies whole new culture of trend and modernity and bright colors that add fun and drama to your space



Moon Stone





MS-9732



SD-5275

MS-9734

12





16

Strong and powerful collection of style simplicity and stability





Artistic creation touch



"this will give
the look of
elegance and
laminate will
make your room
worth living."





WZ-9770

WZ-9771





#### timeless wonders

the perfect vision of the room comes with the right choice of laminate, and this laminate will give the perfect ambiance to your house









Z 0  $\prec$ D  $\mathcal{J}$ Ш **(**) Ш





NEVEDA VEENS

18

TG-9774

TG-9775

TG-5211





Simply of nature



"this will give
the look of
elegance and
laminate will
make your roo
worth living."




ZM-9766 PR

## Veneer Oak












SILKEN CINNAMON

VS-9746 VS-9745

24







VS-5211



Z

Z

 $\triangleright$ 

LAVENEER









VS-5269


26

VS-5268

Bring limelight with gorgeous and seamless wooden laminates













BROWN WALNUT





WINDSOR BRICH GREY

VS-9741


VS-9740















VS-5231












Z

KDM-9773

KDM-9772



36



Luxury elegant texture



"this will give



GF-9752

GF-9742 GF-9759















ORCHID TREE LIGHT

38

COSMICA AURA


ZV-9740


Zero Stone Cassata Stone Admire the hallway of delicate and bewitching designs  $\triangleright$ Ζ 0 Z ZM-5260 ZS-5221 ZS-5220 TK-5260

# natural bliss Sparkle Stone who say light are not acceptable such laminate brings huge changes to your wall with touch of prud STC-5272 HG-5272










TK-9747





SS-9751







"marble with its minimalistic and elegant hue, has long been associated with luxury and sophistication. a lavish tone that has the power to transform any space, imparting a sense of refinement and grace that is truly fit for royality."





SS-5225

SS-5206





HG-5240



ZM-5240





HG-5201

HG-5202



46

ZM-5201

ZM-5202







SF-9782








SF-5261


SF-5262

SF-9740

48

SF-9783







SAWN VENEER











SF-5257 SF-5255


















SF-5211

SF-5273

SF-9781








55

56








SF-9761



58

SF-5231

SF-5232



















SF-5239







SF-5238

SF-9733





















SF-5222 SF-9727







SF-5212







SF-5251

SF-5233

# Index

| NO. | DESIGN | TEXTURE | PG. NO. |
|-----|--------|---------|---------|
| 1   | 9775   | PC      | 1       |
| 2   | 9774   | PC      | 2       |
| 3   | 9763   | FT      | 3       |
| 4   | 9763   | HG      | 3       |
| 5   | 9763   | ZM      | 4       |
| 6   | 9742   | STC     | 5       |
| 7   | 9768   | STC     | 6       |
| 8   | 9777   | STC     | 6       |
| 9   | 5242   | SS      | 7       |
| 10  | 9733   | SS      | 7       |
| 11  | 5202   | TK      | 8       |
| 12  | 5201   | TK      | 8       |
| 13  | 5256   | SD      | 9       |
| 14  | 5255   | SD      | 9       |
| 15  | 9757   | MS      | 10      |
| 16  | 9758   | MS      | 10      |
| 17  | 5257   | SD      | 11      |
| 18  | 5274   | SD      | 11      |
| 19  | 5275   | SD      | 11      |
| 20  | 9732   | MS      | 12      |
| 21  | 9734   | MS      | 12      |
| 22  | 5088   | FT      | 13      |
| 23  | 5063   | FT      | 13      |
| 24  | 5096   | FT      | 13      |
| 25  | 5099   | FT      | 13      |
| 26  | 5013   | FT      | 14      |
| 27  | 5002   | FT      | 14      |
| 28  | 5009   | FT      | 14      |
| 29  | 5080   | FT      | 14      |
| 30  | 5093   | FT      | 14      |
| 31  | 5005   | FT      | 14      |
| 32  | 9771   | WZ      | 15      |
| 33  | 9769   | WZ      | 16      |
| 34  | 9770   | WZ      | 16      |
| 35  | 9774   | TG      | 17      |
| 36  | 9775   | TG      | 17      |
| 37  | 5211   | TG      | 18      |
| 38  | 5233   | TG      | 18      |
| 39  | 9766   | FT      | 19      |
| 40  | 9766   | HG      | 19      |
| 41  | 9766   | ZM      | 20      |

| SIGN | TEXTURE | PG. NO. |   |
|------|---------|---------|---|
| 210  | VS      | 21      | 8 |
| 239  | VS      | 21      | 8 |
| 251  | VS      | 21      | 8 |
| 238  | VS      | 21      | 8 |
| 45   | VS      | 22      | 8 |
| 46   | VS      | 22      | 3 |
| '20  | VS      | 23      | 8 |
| '19  | VS      | 23      | ç |
| 76   | VS      | 23      | 9 |
| 229  | VS      | 24      | 9 |
| 230  | VS      | 24      | S |
| 211  | VS      | 25      | S |
| 233  | VS      | 25      | S |
| 261  | VS      | 26      | S |
| 268  | VS      | 26      | ç |
| 262  | VS      | 26      | ç |
| 269  | VS      | 26      | ç |
| )99  | HG      | 27      | 1 |
| 002  | HG      | 27      | 1 |
| 065  | HG      | 27      | 1 |
| 005  | HG      | 27      | 1 |
| 069  | HG      | 27      | 1 |
| 012  | HG      | 27      | 1 |
| 88   | HG      | 27      | 1 |
| )94  | HG      | 27      | 1 |
| 09   | HG      | 27      |   |
| 014  | HG      | 27      | 1 |
| )93  | HG      | 27      | 1 |
| )92  | HG      | 27      |   |
| 096  | ZM      | 28      | 1 |
| )99  | ZM      | 28      | 1 |
| 009  | ZM      | 28      |   |
| 005  | ZM      | 28      | 1 |
| 002  | ZM      | 28      | 1 |
| 014  | ZM      | 28      | 1 |
| 088  | ZM      | 28      | 1 |
| 065  | ZM      | 28      |   |
| )93  | ZM      | 28      | 1 |
| )94  | ZM      | 28      |   |
| )92  | ZM      | 28      | 1 |
| 012  | ZM      | 28      | 1 |
|      |         |         |   |

| NO.      | DESIGN | TEXTURE | PG. NO. |
|----------|--------|---------|---------|
| 83       | 9761   | VS      | 29      |
| 84       | 5212   | VS      | 29      |
| 85<br>85 | 9741   | VS      | 30      |
| 86       | 9740   | VS      | 30      |
| 87       | 5231   | VS      | 31      |
| <br>88   | 5232   | VS      | 31      |
| 89       | 9781   | VS      | 32      |
| 90       | 9780   | VS      | 32      |
| 91       | 9773   | KDM     | 34      |
| 92       | 9772   | KDM     | 34      |
| 93       | 9752   | GF      | 35      |
| 94       | 9742   | GF      | 36      |
| 95       | 9759   | GF      | 36      |
| 96       | 9740   | ZV      | 37      |
| 97       | 9741   | ZV      | 37      |
| 98       | 9783   | ZV      | 38      |
| 99       | 9782   | ZV      | 38      |
| 100      | 5221   | ZS      | 39      |
| 101      | 5220   | ZS      | 39      |
| 102      | 5260   | TK      | 40      |
| 103      | 5260   | ZM      | 40      |
| 104      | 5272   | STC     | 41      |
| 105      | 5272   | HG      | 41      |
| 106      | 9748   | TK      | 42      |
| 107      | 9747   | TK      | 42      |
| 108      | 9751   | SS      | 43      |
| 109      | 5206   | SS      | 44      |
| 110      | 5225   | SS      | 44      |
| 111      | 5240   | HG      | 45      |
| 112      | 5240   | ZM      | 45      |
| 113      | 5202   | HG      | 46      |
| 114      | 5201   | ZM      | 46      |
| 115      | 5202   | ZM      | 46      |
| 116      | 5201   | HG      | 46      |
| 117      | 9783   | SF      | 47      |
| 118      | 9782   | SF      | 47      |
| 119      | 5262   | SF      | 48      |
| 120      | 5261   | SF      | 48      |
| 121      | 9741   | SF      | 48      |
| 122      | 9740   | SF      | 48      |
| 123      | 5210   | SF      | 49      |

|    |         | 1       |     |        |         |        |
|----|---------|---------|-----|--------|---------|--------|
| GN | TEXTURE | PG. NO. | NO. | DESIGN | TEXTURE | PG. NC |
|    | VS      | 29      | 124 | 5230   | SF      | 49     |
|    | VS      | 29      | 125 | 5229   | SF      | 49     |
|    | VS      | 30      | 126 | 5257   | SF      | 50     |
| )  | VS      | 30      | 127 | 5256   | SF      | 50     |
|    | VS      | 31      | 128 | 5255   | SF      | 50     |
| 2  | VS      | 31      | 129 | 5211   | SF      | 51     |
|    | VS      | 32      | 130 | 5273   | SF      | 51     |
| )  | VS      | 32      | 131 | 9781   | SF      | 52     |
| 3  | KDM     | 34      | 132 | 9780   | SF      | 52     |
| 2  | KDM     | 34      | 133 | 5268   | SF      | 53     |
| 2  | GF      | 35      | 134 | 5269   | SF      | 53     |
| 2  | GF      | 36      | 135 | 9720   | SF      | 53     |
| )  | GF      | 36      | 136 | 9719   | SF      | 53     |
| )  | ZV      | 37      | 137 | 5215   | SF      | 54     |
|    | ZV      | 37      | 138 | 5242   | SF      | 54     |
| 3  | ZV      | 38      | 139 | 5271   | SF      | 54     |
| 2  | ZV      | 38      | 140 | 9743   | SF      | 54     |
|    | ZS      | 39      | 141 | 9781   | ZM      | 55     |
| )  | ZS      | 39      | 142 | 9771   | ZM      | 55     |
| )  | TK      | 40      | 143 | 9748   | ZM      | 56     |
| )  | ZM      | 40      | 144 | 9747   | ZM      | 56     |
| 2  | STC     | 41      | 145 | 5231   | SF      | 57     |
| 2  | HG      | 41      | 146 | 5232   | SF      | 57     |
| 3  | TK      | 42      | 147 | 9761   | SF      | 58     |
| 7  | TK      | 42      | 148 | 5245   | SF      | 58     |
|    | SS      | 43      | 149 | 9729   | SF      | 59     |
| 5  | SS      | 44      | 150 | 5209   | SF      | 59     |
| 5  | SS      | 44      | 151 | 9745   | SF      | 60     |
| )  | HG      | 45      | 152 | 9746   | SF      | 60     |
| )  | ZM      | 45      | 153 | 5238   | SF      | 61     |
| 2  | HG      | 46      | 154 | 5239   | SF      | 61     |
|    | ZM      | 46      | 155 | 9733   | SF      | 62     |
| 2  | ZM      | 46      | 156 | 5206   | SF      | 62     |
|    | HG      | 46      | 157 | 5225   | SF      | 63     |
| 3  | SF      | 47      | 158 | 5222   | SF      | 63     |
| 2  | SF      | 47      | 159 | 9728   | SF      | 64     |
| 2  | SF      | 48      | 160 | 9727   | SF      | 64     |
|    | SF      | 48      | 161 | 5251   | SF      | 65     |
|    | SF      | 48      | 162 | 5212   | SF      | 65     |
| )  | SF      | 48      | 163 | 5233   | SF      | 66     |
| )  | SF      | 49      | 164 | 9751   | SF      | 66     |
|    |         |         |     |        |         |        |

#### Technical Specificastion



| Properties                         | Unit  | Specified Value as IS: 2046-1995 | W@D-11<br>LAMINATES |
|------------------------------------|-------|----------------------------------|---------------------|
| Resistance to Surface Wear         | Rev.  | 150                              | ✓                   |
| Resistance Immersion in            |       |                                  |                     |
| Boiling Water                      |       |                                  |                     |
| a) Increase in thickness           | %     | 14.0 Max.                        | ✓                   |
| b) Increases in weight             | %     | 12.0 Max.                        | ✓                   |
| c) Appearance                      | Grade | 4                                | ✓                   |
| Dimensional Stability at           | (L)%  | 0.625 Max.                       | ✓                   |
| Deviated Temperature               | (T)%  | 1.10 Max.                        | ✓                   |
| Dimensional Stability at 20 Deg. C | (L)%  | 0.425 Max.                       | ✓                   |
| Dimensional Stability at 20 Deg. C | (T)%  | 0.675 Max.                       | ✓                   |
| Resistance to Impact by            |       |                                  |                     |
| Small Diameter Ball                | N     | 20                               | ✓                   |
| Resistance to Cracking             | Grade | 4                                | ✓                   |
| Resistance to Scratching           | N     | 1.75                             | <b>√</b>            |
| Resistance to staining             | Grade |                                  |                     |
| a) Group 1 & 2                     |       | 5                                | <b>√</b>            |
| b) Group 3 & 4                     |       | 4                                | ✓                   |
| Resistance to Colour Change        | Grade |                                  |                     |
| In Enclosed Carbon Arc Light       |       | 5                                | ✓                   |
| Resistance to Steam                | Grade | 4                                | $\checkmark$        |

**Product:** High Pressure Decorative Laminated Sheets

**Size:** 2440 mm X 1220mm (8'x4') Thickness: 1mm(±10%)

#### **Conditions Resistant to**

Boiling water, Hot Oil, Direct Heat, Phenol, Mild Acid, Mild Alkali, Rectified Spirit, Ink, Tea, Coffee etc., Without splitting, Blistering, Warping or Disintegrating

#### Maintenance

Wipe clean with ordinary soap or household ammoniated liquid detergent. For stubborn stains use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended. Metallic & Pearl laminates are fragile and sensitive, hence the company will not entertain any claim on these laminates.

Samples represent only color / pattern / finish and not actual thickness. Please specify color or design number along with finish.

Company warrants that its products are free from manufacturing defects and that they are fit and suitable for usual purpose, under normal & proper use. The product must be inspected prior to installation and factory liability will be limited to the cost of

We suggest to our customers to check the color and finish of the laminate prior to installation. The company will not entertain any complaints arising out of color variation after installation.

Any complaints, due to changes in climatic conditions will not be entertained by the company.

#### लेमिनेट शीट चिपकाते समय निम्न सावधानियाँ रखनी चाहिए ।

- लेमिनेट शीट लगाते समय यह जाँच लें कि सभी शीट्स का रंग एवं डीजाईन एक समान हैं।
- लेमिनेट शीट का बड़ा टुकड़ा (Piece) लगाते समय अत्यधिक सावधानी बरतें।
- लेमिनेट शीट को 90° में काट कर चिपकाने से CRACK आने की संभावना रहती है।
- ADHESIVE उच्च क्वालिटी का ही काम में लें।
- अत्यधिक नमी के स्थान पर लेमिनेट्स शीट पर BUBBLES 🌅 आने की संभावना रहती है।
- लेमिनेट शीट चिपकाते वक्त कम दबाव के कारण भी शीट ख़ुलने की संभावना रहती है।
- जहाँ सूर्य की किरणें सिधी आती हो वहाँ लेमिनेट शीट का उपयोग कम से कम करें यह रगं को धुंधला कर सकता है। 🌅
- लेमिनेट शीट के रख-रखाव करते समय इस पर किसी प्रकार के रसायन पदार्थ का प्रयोग न करें। घर में रंग-रोगन करते समय फर्नीचर को ढ़क देवें।
- 🔹 लेमिनेट शीट का ROLL खोल कर रखें। 🌑
- 🔹 लेमिनेट शीट को सीधे रख कर काटे। 属
- 🔹 अधिक से अधिक स्थान पर TAPE 🌉 (MASKING TAPE) का उपयोग करें

उपरोक्त सावधानियों को ध्यान में रखकर लेमिनेट को काम में लेने पर काफी समस्याओं का स्वतः ही समाधान मिल जाएगा।

Welwin Laminates







ENTERTAINED

ENTERTAINED